

LED

UV-STOP PC

LED

Item	Input	LED	Beam	Temp	Life	Beam	CCT
I	120-277V. 50 / 60Hz.	700mA	> 0.95	-35 °C +45 °C.	> 30,000h	ra > 75.	3000K-6500K.


Model	Ymled-6307
LED	13PCS.
Power	30W
Beam	2000LM
G.W / N.W.	15/13g
Size	250x250x1830mm.

LED

YMLED-6307



YMLED-6307



Product description:

- Aluminum die-casting housing.
- Photogy PMMA Diffuser.
- Anti-glare aluminum oxide reflector.
- High power LED with anti-glare diffuser plate.

Product description:

- Protection grade:IP65
- Corrosion-proof capability:II
- Working condition:-35°C~ +45°C
- Isolation class:1
- Power voltage:170-220V 50-60Hz
- High:2.8m
- Max power:30W



□□

1. **FedEx / DHL / UPS / TNT** □□ □□□□□□

2. □□□□□□ □□ □□□□fcl;□□/□□□□□□

3. □□□□□□□□□□□□□□□□□□

4. □□□□□□ 5.□□ - 7□; 15. - 30. □□□□□□

□□□□

1. □□□ **T / T.** □□□□□□ **Moneygram. □PayPal.;** **30**□□□□; **70**□□□□ □□□□

2. **MOQ** □ **1**□□

3. □□□5□