

What is the details of our [LED Garden light](#)?

Die cast aluminum housing, aluminum sheet rotating cover
Double photometric diffuser technology
Supper white toughened glass
Sealed lamp housing

What is the Specifications of our LED Garden light?


Isolationsklasse	Stromversorgung	LED current	Leistungsfaktor	Working Ambient	Lebensspanne	CRI	CCT
Class I	120-277V 50/60HZ	700mA	>0.95	-40 °C to +55 °C	>50,000hrs	RA>75	3000K-6500K
Produktcode	YMLED-6102(16)	YMLED-6102(20)	YMLED-6102(24)	YMLED-6102(28)			
LED Qty	16pcs	20pcs	24pcs	28pcs			
Rated Power	35w	45w	55w	60w			
Lichtstrom	3100-3300lm	3950-4200	4850-5200lm	5350-5700lm			
G.W/N.W	13.5/11.5kgs	13.5/11.5kgs	13.5/11.5kgs	13.5/11.5kgs			
Packungsgröße	610x610x830mm	610x610x830mm	610x610x830mm	610x610x830mm			

Product Photos


YMLED-6102



PRODUCT DIMENSIONS(MM)





PRODUCT DETAILS







Polar Diagram



Type1



Type2



Type3



Packaging & Shipping ,Trade Terms:

Versand

- 1 FedEx/DHL/UPS/TNT zum **Proben**, Tür zu Tür,
- 2 **By Air or by Sea** zum **batch goods**, for FCL; Airport/ Port receiving,
3. Customers specifying freight forwarders or negotiable shipping methods,
- 4 **Lieferzeit**: 5.-7 days for samples; fünfzehn-30. days for batch goods.

Zahlungsbedingungen

1. Payment: **T/T, Western Union, MoneyGram, PayPal; 30% deposits; 70% balance** vor der Auslieferung,
- 2 **MOQ: 1 Stück**,
3. Warranty: 5years