

Was sind die Details von unserem? [LED Gartenlicht?](#)

Druckguss-Aluminiumgehäuse, Aluminiumblech rotierende Abdeckung
Doppelphotometrische Diffusor-Technologie
PC-Diffusionstechnologie.
Versiegelte Lampengehäuse.

Was sind die Spezifikationen unserer LED? Gartenlicht?

Isolationsklasse	Stromversorgung	LED-Strom	Leistungsfaktor	Arbeit umgebend	Lebensspanne	Krise	Kg
Klasse I.	120-277V. 50 / 60Hz.	700ma.	> 0.95.	-40. ° C bis +55 ° C	> 50.000 Stunden.	Ra> 75.	3000K-6500K.
Produktcode	YMLED-6132A.		YMLED-6132A.		YMLED-6132A.		
LED-Menge	20pcs.		20pcs.		20pcs.		
Nennleistung	40w.		Mit 50 Watt		Mit 60 Watt		
Lichtstrom	3400-3600lm.		4150-4410lm.		4850-5160lm.		
G.w / n.w.	10.5 / 9kgs.		10.5 / 9kgs.		10.5 / 9kgs.		
Packungsgröße	710x285x725mm.		710x285x725mm.		710x285x725mm.		

Produktfotos.



YMLED6132

RAL 7015



RAL 9005



Power range: 40w-60w

AC120v-277v 50/60Hz

CREE XTE LED chip

INVENTRONICS driver

Die cast aluminum housing




IP65


Certificate






Product Dimensions(mm)





Configuration Data

Internal Structure



Die cast aluminum housing

Inventronics driver


LED strip (Option)

Dia 76/60mm install pipe


CREE XTE LED chip



PC diffuser



Polar Diagram



Configuration Data:

产品型号 Product Code	额定功率 Rated Power	初始光通量 Luminous Flux			毛净重 G.W/N.W	包装尺寸 Packing Size
		WW	NW	CW		
YMLED-6132A(20)	40W	3740	3850	3960	G.W/N.W: 10.5/9(kgs)	710x285x725mm
YMLED-6132A(20)	50W	4565	4675	4851	G.W/N.W: 10.5/9(kgs)	710x285x725mm
YMLED-6132A(20)	60W	5335	5500	5676	G.W/N.W: 10.5/9(kgs)	710x285x725mm





Company Profile


Yuyao Yangming Lighting Co., Ltd. is mainly engaged in the development and production of garden lighting. Founded in 2001, it has developed more than 200 kinds of Garden lights, street lights, lawn lights, footpath lights, light poles, led lights and wall lights.

Now we are creating our own brands and developing products suitable for market. Welcome all friends to contact us. We will make contribution to lightening your home.





Testing and Design



product design






ingress protection (Ip) testing equipment.



led street lighting aging testing line.



ullbrich sphere for testing luminous flux



road lighting simulation

Exhibittion





Add : Minyin industrial Zone, Liangnong Town,
Yuyao,Zhenjiang,China

Sale: 0574-22222345 / 22719888

0574-22672345(Fax)

Hotline: 0574-62359099

0574-62359077(Fax)

Http://www.ym-lighting.com

www.yyym2001.1688.com

www.yangminglamps.en.alibaba.com

Verpackung & Versand, Handelsbedingungen:

Versand

1 FedEx / DHL / UPS / TNT zum Proben, Tür zu Tür,

2 **Mit der Luft oder auf dem Seeweg zum Chargenwarenfür** FCL; Flughafen / Hafen,

3. Kunden, die Spediteure oder verhandelbare Versandmethoden angeben,

4 **Lieferzeit:** 5.-7 Tage für Proben; fünfzehn-30. Tage für Chargenwaren.

Zahlungsbedingungen

1. Zahlung: **T / t., Western Union, Moneygram, Paypal 30% Ablagerungen. 70% Restbetrag.** vor der Auslieferung,

2 **MOQ: 1 Stück,**

3. Garantie: 5 Jahre