

Quels sont les détails de notre [DIRIGÉ Lumière du jardin?](#)

Boîtier en aluminium moulé sous pression, couvercle rotatif en feuille d'aluminium
Double technologie de diffuseur photométrique
Technologie de diffusion de PC
Boîtier de lampe scellée

Quelles sont les spécifications de notre LED Jardin Light?

Classe d'isolation	Source de courant	Courant de LED	Facteur de puissance	Travail ambiant	Durée de vie	Cri	Cct
Classe I	120-277V 50 / 60Hz	700mA	> 0.95	-40 ° C à +55 ° C	> 50 000hrs	Ra> 75	3000K-6500K
Code produit	Ymled-6132a		Ymled-6132a		Ymled-6132a		
QTY LED	20pcs		20pcs		20pcs		
Puissance nominale	40w		50w		60w		
Flux lumineux	3400-3600LM		4150-4410LM		4850-5160LM		
G.w / n.w	10.5 / 9kgs		10.5 / 9kgs		10.5 / 9kgs		
Taille d'emballage	710x285x725mm		710x285x725mm		710x285x725mm		

Photos de produits



YMLED6132

RAL 7015



RAL 9005



Power range: 40w-60w

AC120v-277v 50/60Hz

CREE XTE LED chip

INVENTRONICS driver

Die cast aluminum housing




IP65


Certificate






Product Dimensions(mm)





Configuration Data

Internal Structure




Die cast aluminum housing

Inventronics driver


LED strip (Option)

Dia 76/60mm install pipe


CREE XTE LED chip



PC diffuser



Polar Diagram



Configuration Data:

产品型号 Product Code	额定功率 Rated Power	初始光通量 Luminous Flux			毛净重 G.W/N.W	包装尺寸 Packing Size
		WW	NW	CW		
YMLED-6132A(20)	40W	3740	3850	3960	G.W/N.W: 10.5/9(kgs)	710x285x725mm
YMLED-6132A(20)	50W	4565	4675	4851	G.W/N.W: 10.5/9(kgs)	710x285x725mm
YMLED-6132A(20)	60W	5335	5500	5676	G.W/N.W: 10.5/9(kgs)	710x285x725mm





Company Profile


Yuyao Yangming Lighting Co., Ltd. is mainly engaged in the development and production of garden lighting. Founded in 2001, it has developed more than 200 kinds of Garden lights, street lights, lawn lights, footpath lights, light poles, led lights and wall lights.

Now we are creating our own brands and developing products suitable for market. Welcome all friends to contact us. We will make contribution to lightening your home.





Testing and Design



product design






ingress protection (Ip) testing equipment.



led street lighting aging testing line.



ullbrich sphere for testing luminous flux



road lighting simulation

Exhibittion





Add : Minyin industrial Zone, Liangnong Town,
Yuyao,Zhenjiang,China

Sale: 0574-22222345 / 22719888

0574-22672345(Fax)

Hotline: 0574-62359099

0574-62359077(Fax)

Http://www.ym-lighting.com

www.yyym2001.1688.com

www.yangminglamps.en.alibaba.com

Emballage et expédition, Termes de commerce:

Expédition

1. FedEx / DHL / UPS / TNT pour échantillons, Porte à porte,

2. **Par voie aérienne ou par mer** pour **marchandises par lots**, pour FCL; Aéroport / Port recevant,
3. Les clients spécifiant les transitaires de fret ou les méthodes d'expédition négociables,
- 4 **Heure de livraison:** 5-7 jours pour les échantillons; 15-30 jours pour les marchandises par lots.

Modalités de paiement

1. Paiement: **T / t, Western union, Moneygram, Pay Pal; Dépôts de 30%; Solde de 70%** avant la livraison,
2. **MOQ: 1 PCS,**
3. Garantie: 5 ans