What is the details of our <u>LED Garden light</u>?

Die cast aluminum housing,aluminum sheet rotating cover Indirect lighting technology UV-stop PC lamp cover Sealed lamp housing

What is the Specifications of our LED Garden light?


Insulation class	Power supply	LED current	Power Factor	Working Ambient	Life span	CRI	CCT
Class I	120-277V 50/60HZ	700mA	>0.95	-40 °C to +55 °C	>50,000hrs	RA>75	3000K-6500K

Product Code	YMLED-6116	YMLED-6116	
LED Qty	20pcs	20pcs	
Rated Power	20w	30w	
Luminous Flux	1450-1550lm	2000-2200lm	
G.W/N.W	8/6.6kgs	8/6.6kgs	
Packing Size	540x540x540mm	540x540x540mm	

Product Photos

YMLED-6116

PRODUCT DIMENSIONS(MM)





PRODUCT DETAILS





Polar Diagram





Packaging & Shipping ,Trade Terms:

- **Shipping**1. **FedEx/DHL/UPS/TNT** for **samples**, Door-to-Door,
- 2. By Air or by Sea for batch goods, for FCL; Airport/ Port receiving,
- 3. Customers specifying freight forwarders or negotiable shipping methods,
- 4. **Delivery Time**: 5-7 days for samples; 15-30 days for batch goods.

Payment Terms

- 1. Payment: T/T, Western Union, MoneyGram, PayPal; 30% deposits; 70% balance before delivery,
- 2. MOQ: 1pcs,
- 3. Warranty: 5years