

## What is the details of our [LED Bollard light](#)?

Die cast aluminum housing,surface treatment for electrostaic power coating

UV-stop PC lamp cover

Sealed lamp housing

## What is the Specifications of our LED Bollard light?

Insulation class	Power supply	LED current	Power Factor	Working Ambient	Life span	CRI	CCT
Class I	120-277V 50/60HZ	700mA	>0.95	-35 °C to +45 °C	>30,000hrs	RA>75	3000K-6500K

Product Code	YMLED-6221
LED Qty	4pcs
Rated Power	8w
Luminous Flux	500-600lm
G.W/N.W	5/4.5kgs
Packing Size	250x250x830mm

## Product Photos

# YMLED-6222



## PRODUCT DETAILS



### Packaging & Shipping ,Trade Terms:

#### Shipping

1. **FedEx/DHL/UPS/TNT** for **samples**, Door-to-Door,
2. **By Air or by Sea** for **batch goods**, for FCL; Airport/ Port receiving,
3. Customers specifying freight forwarders or negotiable shipping methods,

4. **Delivery Time:** 5-7 days for samples; 15-30 days for batch goods.

**Payment Terms**

1. Payment: **T/T, Western Union, MoneyGram, PayPal; 30% deposits; 70% balance** before delivery,
2. MOQ: **1pcs,**
3. Warranty: 5years