

## What is the details of our [LED Street light](#)?

Whole body die cast aluminum housing  
**Double photomnum** diffuser technology  
Supper white toughened glass

## What is the Specifications of our LED Street light?

Insulation class	Power supply	LED current	Power Factor	Working Ambient	Life span	CRI	CCT
Class I	120-277V 50/60HZ	700mA	>0.95	-40 °C to +55 °C	>50,000hrs	RA>75	3000K-6500K

Product Code	YMLED-6404(15)	YMLED-6404(20)	YMLED-6404(25)
LED Qty	15pcs	20pcs	25pcs
Rated Power	30w	45w	55w
Luminous Flux	2750-2940lm	4150-4400lm	5000-5390lm
G.W/N.W	7.2/6.2kgs	7.2/6.2kgs	7.2/6.2kgs
Packing Size	670x305x200mm	670x305x200mm	670x305x200mm


## Product Photos

# YMLED-6404




## PRODUCT DETAILS







## POLAR DIAGRAM



## PRODUCT DIMENSIONS(MM)



## Packaging & Shipping ,Trade Terms:

### Shipping

1. **FedEx/DHL/UPS/TNT** for **samples**, Door-to-Door,
2. **By Air or by Sea** for **batch goods**, for FCL; Airport/ Port receiving,
3. Customers specifying freight forwarders or negotiable shipping methods,
4. **Delivery Time:** 5-7 days for samples; 15-30 days for batch goods.

### Payment Terms

1. Payment: **T/T, Western Union, MoneyGram, PayPal; 30% deposits; 70% balance** before delivery,
2. MOQ: **1pcs**,
3. Warranty: 5years