

What is the details of our LED Garden light?



□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□
□□□~~tened~~□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□

Configuration Data:


| □□□□□ | □□□□ | LED□□ | □□□□□□ | G.W / N.W. | □□□□□□□□ | □□□□ |
|----------------|------|-------|--------|----------------|----------------------|----------------|
| YMLED-6114□15□ | 35W | 15 | 4200 | 8.5 / 7.5□KGS□ | 490 * 490 * 650mm | 132pcs / 20 ' |
| YMLED-6114□20□ | 45w. | 20. | 5400 | 8.5 / 7.5□KGS□ | 490 * 490 * 650mm | 384pcs / 40'HQ |
| YMLED-6114□25□ | 55W | 25. | 6600 | 8.5 / 7.5□KGS□ | 490 * 490 * 650mm | |

Polar Diagram:


Type1



Type2



Type3





YMLED-6114

RAL 7015



RAL 9005



Product description:

whole body Die cast aluminum housing
Double photometric diffuser technology
Supper white toughened glass
Sealed lamp housing





IP65

Certificate



Product Dimensions(mm)





Internal Structure

