



□□□□□□□□□□□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□
 PC□□□□
 □□□□□□□□□□□□




□□□□□	□□	LED□□	□□	□□□□	□□	□□	c
□□□I.	120-277V 50 / 60Hz	700mA.	> 0.95	- 40. °C□□+ 55 °C.	> 50,000HRS	RA> 75	3000K-6500K
□□□□□	YMLED-6132A			YMLED-6132A		YMLED-6132A	
LED□□	20pcs			20pcs		20pcs	
□□□□	40w.			50w.		60w.	
□□□□□□	3400-3600LM			4150-4410LM		4850-5160LM	
G.W / N.W.	10.5 / 9kgs			10.5 / 9kgs		10.5 / 9kgs	
□□□□□□□□	710x285x725mm			710x285x725mm		710x285x725mm	






YMLED-6132A





PRODUCT DIMENSIONS(MM)



PRODUCT DETAILS





11

10 **000000 / DHL / UPS / TNT.** 000 00000 000000

2. 本報告書は、FCL/

3.

4□ □□□ 5.□□□□□□□□-7□□ 15 - 30. □□□□□□□□

□□□□□

1. **T / T.** **30**; **70**

2 MOQ 1

3.□□□5□