

UV-Stop PC 250x250x830mm? 250x250x830mm ~ 250x250mm

UV-Stop PC 250x250x830mm, 250x250x830mm 250x250mm
 UV-Stop PC 250x250mm
 250x250x830mm

LED 250x250x830mm? 250x250mm?

UV I.	Input	LED	Beam	Temperature	Life	Beam Angle	CCT.
UV I.	120-277V. 50 / 60hz.	700mA.	> 0.95.	-35. ° C ~ +45. ° C.	> 30,000hrs.	ra> 75.	3000K-6500K.

UV I. ymled-6221.
 LED 4pcs.
 8W.
 500-600lm.
 G.W / N.W. 5 / 4.5kgs.
 250x250x830mm.

250x250x830mm

YMLED-6222



PRODUCT DETAILS



□□ □□ □□, □□ □□ :

-
- 1. FedEx / DHL / UPS / TNT. ~□□□ □□, □□ - □,
- 2. □□ □□ □□ ~□□□ □□ □□, fcl; □□ / □□ □□,
- 3. □□ □□ □□ □□ □□ □□ □□ □□□□ □□,

4. 付款条件: 5.000000 -7 天; 15.-30. 天 付款 。

付款 条件

1. 付款 : **T / T.**, 付款 条件, 付款 条件...**30 %** 付款...**70 %** 付款 条件 付款,

2. **MOQ : 1pcs,**

3. 付款 : 5years.