

□□□□□□□□□□□□□□□□? □□□□□□□□~□□□□

□□ □□ □□□□ □□□
 □□ □□ □□□ □□□ □□
 □□□□ □□ □□ □□
 □□ □ □□ □ □□

□□ LED□ □□□□ □□□□□□□? □□□□□?

□□ □□	□□ □□ □□	LED □□	□□	□□□□□ □□	□□	□□□	CCT.
□□□ I.	120-277V. 50 / 60hz.	700mA.	> 0.95.	- 40. ° C ~ +55. ° C.	> 50,000hrs.	ra> 75.	3000K-6500K.
□□ □□				ymled-6136 (15)	ymled-6136 (20)	ymled-6136 (25)	
LED □□				15pcs.	20pcs.	25pcs.	
□□ □□				30W.	45W.	55W.	
□□				2750-2940lm.	4150-4400lm.	5000-5390lm.	
G.W / N.W.				9 / 8kgs.	9 / 8kgs.	9 / 8kgs.	
□□ □□				410x410x875mm.	410x410x875mm.	410x410x875mm.	


□□ □□ □□



PRODUCT DETAILS





PRODUCT DIMENSIONS(MM)





Polar Diagram



Type1



Type2



Type3



□□□□□□, □□□□□□ :

□□

1. **FedEx / DHL / UPS / TNT.** ~□□□□ □□, □□ - □,
2. □□ □□ □□□ ~□□□□ □□ □□, fcl; □□ / □□ □□,
3. □□ □□ □□ □□ □□ □□ □□ □□□□ □□,
4. □□ □□: 5.□□□□□□ -7 □; 15.-30. □□ □□□□ □.

□□ □□

1. □□ : **T / T.**, □□□□ □□□, □ □□,□□□...□ **30 %** □□...□ **70 %** □□ □□ □□,
2. **MOQ : 1pcs,**
3. □□ : 5years.