




□□ □□	□□ □□ □□	LED □□	□□	□□□□□ □□	□□	□□□	CCT.
□□□ I.	120-277V. 50 / 60hz.	700mA.	> 0.95.	- 40. ° C ~ +55. ° C.	> 50,000hrs.	ra> 75.	3000K-6500K.
	□□ □□			ymled-6109 (16)	ymled-6109 (20)	ymled-6109 (24)	ymled-6109 (28)
	LED □□			16pcs.	20pcs.	24pcs.	28pcs.
	□□ □□			35W.	45W.	55W.	60w.
	□□			3100-3300lm.	3950-4200.	4850-5200lm.	5350-5700lm.
	G.W / N.W.			13.5 / 11.5kgs	13.5 / 11.5kgs	13.5 / 11.5kgs	13.5 / 11.5kgs
	□□ □□			655x655x760mm.	655x655x760mm.	655x655x760mm.	655x655x760mm.



YMLED-6109



PRODUCT DIMENSIONS(MM)





PRODUCT DETAILS





Polar Diagram



Type1



Type2



Type3



□□□□□□, □□□□□□ :

-
1. **FedEx / DHL / UPS / TNT.** ~□□□□ □□, □□ - □,
 2. □□ □□ □□□ ~□□□□ □□ □□, fcl; □□ / □□ □□,
 3. □□ □□ □□ □□ □□ □□ □□ □□□□ □□,
 4. □□ □□: 5.□□□□□□ -7 □; 15.-30. □□ □□□ □.
- □□
1. □□ : **T / T.**, □□□□ □□□, □ □□,□□□...□ **30 %** □□...□ **70 %** □□ □□ □□,
 2. **MOQ : 1pcs,**
 3. □□ : 5years.