





# YMLED6107

RAL 7015  RAL 9005 



**Power range: 26w-65w**

**AC120v-277v 50/60Hz**

**CREE LED chip**

**INVENTRONICS driver**

**Die cast aluminum housing**




IP65

## Certificate



## Product Dimensions(mm)






# Internal Structure





# Polar Diagram

Type1







## Type2



## Type3



## Configuration Data:


产品型号 Product Code	额定功率 Rated Power	初始光通量 Luminous Flux			毛净重 G.W/N.W	包装尺寸 Packing Size
		WW	NW	CW		
YMLED6107(12)	26W	3300	3380	3420	7.5kgs/6.5kgs	600x600x300mm
YMLED6107(16)	38W	4900	4940	4995	7.5kgs/6.5kgs	600x600x300mm
YMLED6107(20)	55W	7100	7150	7200	7.5kgs/6.5kgs	600x600x300mm
YMLED6107(24)	65W	8400	8450	8500	7.5kgs/6.5kgs	600x600x300mm



## Company Profile

Yuyao Yangming Lighting Co., Ltd. is mainly engaged in the development and production of






road lighting simulation

ullbrich sphere for testing luminous flux

# Exhibittion



Add : Minyin industrial Zone, Liangnong Town,  
Yuyao,Zhenjiang,China

Sale: 0574-22222345 / 22719888

0574-22672345(Fax)

Hotline: 0574-62359099

0574-62359077(Fax)

Http://www.ym-lighting.com

www.yyym2001.1688.com

www.yangminglamps.en.alibaba.com

