

Wat is de details van onze [LED Bollard light](#)?

Die cast aluminum housing, surface treatment for electrostatic power coating
UV-stop PC lamp cover
Sealed lamp housing

What is the Specifications of our LED Bollard light?

Isolatieklasse	Stroomvoorziening	LED-stroom	Krachtfactor	Werkende omgeving	Levensduur	Cri	CCT
Klasse i	120-277V 50 / 60Hz	700mA	> 0.95	-35 °C to +45 °C	>30,000hrs	RA> 75	3000K-6500K

Productcode	YMLED-6221
LED Aantal	4 stuks
Rated power	8w
Luminous Flux	500-600lm
G.W / N.W	5/4.5kgs
Packing Size	250x250x830mm

Productfoto's

YMLED-6221



PRODUCT DETAILS



Verpakking en verzending, Handelsvoorwaarden:

Verzending

1. **FedEx / DHL / UPS / TNT** voor **monsters**, Deur tot deur,
2. **Door lucht of over zee** voor **batchartikelen**, voor FCL; Luchthaven / poort ontvangen,
3. Klanten specificeren expediteurs of verhandelbare verzendmethoden,

4. **Tijd om te bezorgen:** 5-7 dagen voor monsters; 15-30 dagen voor batchartikelen.

Betaalvoorwaarden

1. Betaling: **T / t, Western Union, Geldgram, Paypal; 30% stortingen; 70% saldo** voor bezorging,
2. MOQ: **1 stuk,**
3. Garantie: 5 jaar