

Wat is de details van onze [LED Tuinlicht?](#)

Gegoten aluminium behuizing, aluminium blad roterende dekking
Dubbele fotometrische diffusertechnologie
PC Diffusion-technologie
Verzegelde lampbehuizing

Wat is de specificaties van onze LED Tuinlicht?

Isolatieklasse	Stroomvoorziening	LED-stroom	Krachtfactor	Werkende omgeving	Levensduur	Cri	CCT
Klasse i	120-277V 50 / 60Hz	700mA	> 0.95	-40 ° C tot +55 ° C	> 50.000 uur	RA> 75	3000K-6500K
Productcode	Ymled-6132a		Ymled-6132a		Ymled-6132a		
LED Aantal	20pcs		20pcs		20pcs		
Rated power	40w		50W		60w		
Lichtstroom	3400-3600LM		4150-4410LM		4850-5160LM		
G.W / N.W	10.5 / 9KGS		10.5 / 9KGS		10.5 / 9KGS		
Verpakkingsgrootte	710x285x725mm		710x285x725mm		710x285x725mm		

Productfoto's



YMLED6132

RAL 7015



RAL 9005



Power range: 40w-60w

AC120v-277v 50/60Hz

CREE XTE LED chip

INVENTRONICS driver

Die cast aluminum housing




IP65


Certificate






Product Dimensions(mm)





Configuration Data

Internal Structure




Inventronics driver

LED strip (Option)


Die cast aluminum housing

Dia 76/60mm install pipe


CREE XTE LED chip



PC diffuser



Polar Diagram



Configuration Data:

产品型号 Product Code	额定功率 Rated Power	初始光通量 Luminous Flux			毛净重 G.W/N.W	包装尺寸 Packing Size
		WW	NW	CW		
YMLED-6132A(20)	40W	3740	3850	3960	G.W/N.W: 10.5/9(kgs)	710x285x725mm
YMLED-6132A(20)	50W	4565	4675	4851	G.W/N.W: 10.5/9(kgs)	710x285x725mm
YMLED-6132A(20)	60W	5335	5500	5676	G.W/N.W: 10.5/9(kgs)	710x285x725mm





Company Profile


Yuyao Yangming Lighting Co., Ltd. is mainly engaged in the development and production of garden lighting. Founded in 2001, it has developed more than 200 kinds of Garden lights, street lights, lawn lights, footpath lights, light poles, led lights and wall lights.

Now we are creating our own brands and developing products suitable for market. Welcome all friends to contact us. We will make contribution to lightening your home.





Testing and Design



product design






ingress protection (Ip) testing equipment.



led street lighting aging testing line.



ullbrich sphere for testing luminous flux



road lighting simulation

Exhibittion





Add : Minyin industrial Zone, Liangnong Town,
Yuyao,Zhenjiang,China

Sale: 0574-22222345 / 22719888
0574-22672345(Fax)

Hotline: 0574-62359099
0574-62359077(Fax)

Http://www.ym-lighting.com
www.yyym2001.1688.com
www.yangminglamps.en.alibaba.com

Verpakking en verzending, Handelsvoorwaarden:

Verzending

1. FedEx / DHL / UPS / TNT voor **monsters**, Deur tot deur,

2. **Door lucht of over zee** voor **batchartikelen**, voor FCL; Luchthaven / poort ontvangen,
3. Klanten specificeren expediteurs of verhandelbare verzendmethoden,
4. **Tijd om te bezorgen:** 5-7 dagen voor monsters; 15-30 dagen voor batchartikelen.

Betaalvoorwaarden

1. Betaling: **T / t, Western Union, Geldgram, Paypal; 30% stortingen; 70% saldo** voor bezorging,
2. MOQ: **1 stuk**,
3. Garantie: 5 jaar