

What is the details of our [LED Garden light](#)?

Die cast aluminum housing,aluminum sheet rotating cover
Indirect lighting technology
UV-stop PC lamp cover
Sealed lamp housing

What is the Specifications of our LED Garden light?

Insulation class	Power supply	LED current	Power Factor	Working Ambient	Life span	CRI	CCT
Class I	120-277V 50/60HZ	700mA	>0.95	-40 °C to +55 °C	>50,000hrs	RA>75	3000K-6500K


Product Code	YMLED-6116	YMLED-6116
LED Qty	20pcs	20pcs
Rated Power	20w	30w
Luminous Flux	1450-1550lm	2000-2200lm
G.W/N.W	8/6.6kgs	8/6.6kgs
Packing Size	540x540x540mm	540x540x540mm

Product Photos

YMLED-6116



PRODUCT DIMENSIONS(MM)





PRODUCT DETAILS





Polar Diagram



Packaging & Shipping ,Trade Terms:

Shipping

1. **FedEx/DHL/UPS/TNT** for **samples**, Door-to-Door,
2. **By Air or by Sea** for **batch goods**, for FCL; Airport/ Port receiving,
3. Customers specifying freight forwarders or negotiable shipping methods,
4. **Delivery Time:** 5-7 days for samples; 15-30 days for batch goods.

Payment Terms

1. Payment: **T/T, Western Union, MoneyGram, PayPal; 30% deposits; 70% balance** before delivery,
2. MOQ: **1pcs**,
3. Warranty: 5years