

What is the details of our [LED Garden light](#)?

Die cast aluminum housing,aluminum sheet rotating cover
Double photometric diffuser technology
PC diffusion technology
Sealed lamp housing

What is the Specifications of our LED Garden light?

Insulation class	Power supply	LED current	Power Factor	Working Ambient	Life span	CRI	CCT
Class I	120-277V 50/60HZ	700mA	>0.95	-40 °C to +55 °C	>50,000hrs	RA>75	3000K-6500K


Product Code	YMLED-6132A	YMLED-6132A	YMLED-6132A
LED Qty	20pcs	20pcs	20pcs
Rated Power	40w	50w	60w
Luminous Flux	3400-3600lm	4150-4410lm	4850-5160lm
G.W/N.W	10.5/9kgs	10.5/9kgs	10.5/9kgs
Packing Size	710x285x725mm	710x285x725mm	710x285x725mm

Product Photos




YMLED-6132A





PRODUCT DIMENSIONS(MM)



PRODUCT DETAILS



Polar Diagram



Packaging & Shipping ,Trade Terms:

Shipping

1. **FedEx/DHL/UPS/TNT** for **samples**, Door-to-Door,
2. **By Air or by Sea** for **batch goods**, for FCL; Airport/ Port receiving,
3. Customers specifying freight forwarders or negotiable shipping methods,
4. **Delivery Time**: 5-7 days for samples; 15-30 days for batch goods.

Payment Terms

1. Payment: **T/T, Western Union, MoneyGram, PayPal**; **30% deposits; 70% balance** before delivery,
2. MOQ: **1pcs**,
3. Warranty: 5years