

What is the details of our [LED Garden light](#)?

Die cast aluminum housing, aluminum sheet rotating cover
Double photometric diffuser technology
UV-stop PC lamp cover
Sealed lamp housing

What is the Specifications of our LED Garden light?

Insulation class	Power supply	LED current	Power Factor	Working Ambient	Life span	CRI	CCT
Class I	120-277V 50/60HZ	700mA	>0.95	-40 °C to +55 °C	>50,000hrs	RA>75	3000K-6500K

Product Code	YMLED-6135(16)	YMLED-6135(20)	YMLED-6135(24)	YMLED-6135(28)
LED Qty	16pcs	20pcs	24pcs	28pcs
Rated Power	35w	45w	55w	60w
Luminous Flux	3100-3300lm	3950-4200	4850-5200lm	5350-5700lm
G.W/N.W	11.5/9.2kgs	11.5/9.2kgs	11.5/9.2kgs	11.5/9.2kgs
Packing Size	605x605x750mm	605x605x750mm	605x605x750mm	605x605x750mm

Product Photos



YMLED-6135

RAL 7015



RAL 9005



Product description:

whole body Die cast aluminum housing

Double photometric diffuser technology


Supper white toughened glass

Sealed lamp housing




IP65

Certificate




Internal Structure




Polar Diagram

Type1





Type 2

typez



Type3





Configuration Data:

产品型号 Product Code	额定功率 Rated Power	初始光通量 Luminous Flux			毛净重 G.W/N.W	包装尺寸 Packing Size
		WW	NW	CW		
YMLED-6135(16)	35W	3410	3520	3630	11.5/9.2(kgs)	605x605x750mm
YMLED-6135(20)	45W	4345	4400	4620	11.5/9.2(kgs)	605x605x750mm
YMLED-6135(24)	55W	5335	5500	5720	11.5/9.2(kgs)	605x605x750mm
YMLED-6135(28)	60W	5885	6050	6270	11.5/9.2(kgs)	605x605x750mm



Company Profile


Yuyao Yangming Lighting Co., Ltd. is mainly engaged in the development and production of garden lighting. Founded in 2001, it has developed more than 200 kinds of Garden lights, street lights, lawn lights, footpath lights, light poles, led lights and wall lights.

Now we are creating our own brands and developing products suitable for market. Welcome all friends to contact us. We will make contribution to lightening your home.





Testing and Design



product design



led street lighting aging testing line.




ingress protection (Ip) testing equipment.







ullbrich sphere for testing luminous flux



road lighting simulation

Exhibittion





Add : Minyin industrial Zone, Liangnong Town,
Yuyao,Zhenjiang,China

Sale: 0574-22222345 / 22719888

0574-22672345(Fax)

Hotline: 0574-62359099

0574-62359077(Fax)

Http://www.ym-lighting.com

www.yyym2001.1688.com

www.yangminglamps.en.alibaba.com

Packaging & Shipping ,Trade Terms:

Shipping

1. FedEx/DHL/UPS/TNT for **samples**, Door-to-Door,
2. **By Air or by Sea** for **batch goods**, for FCL; Airport/ Port receiving,
3. Customers specifying freight forwarders or negotiable shipping methods,
4. **Delivery Time**: 5-7 days for samples; 15-30 days for batch goods.

Payment Terms

1. Payment: **T/T, Western Union, MoneyGram, PayPal; 30% deposits; 70% balance** before delivery,
2. MOQ: **1pcs,**
3. Warranty: 5years