

What is the details of our [LED Garden light](#)?

Whole body die cast aluminum housing
Double photomnum diffuser technology
Supper white toughened glass
Individual and sealed module

What is the Specifications of our LED Garden light?

Insulation class	Power supply	LED current	Power Factor	Working Ambient	Life span	CRI	CCT
Class I	120-277V 50/60HZ	700mA	>0.95	-40 °C to +55 °C	>50,000hrs	RA>75	3000K-6500K

Product Code	YMLED-6136(15)	YMLED-6136(20)	YMLED-6136(25)
LED Qty	15pcs	20pcs	25pcs
Rated Power	30w	45w	55w
Luminous Flux	2750-2940lm	4150-4400lm	5000-5390lm
G.W/N.W	9/8kgs	9/8kgs	9/8kgs
Packing Size	410x410x875mm	410x410x875mm	410x410x875mm


Product Photos



PRODUCT DETAILS





PRODUCT DIMENSIONS(MM)





Polar Diagram



Type1



Type2



Type3



Packaging & Shipping ,Trade Terms:

Shipping

1. **FedEx/DHL/UPS/TNT** for **samples**, Door-to-Door,
2. **By Air or by Sea** for **batch goods**, for FCL; Airport/ Port receiving,
3. Customers specifying freight forwarders or negotiable shipping methods,
4. **Delivery Time**: 5-7 days for samples; 15-30 days for batch goods.

Payment Terms

1. Payment: **T/T, Western Union, MoneyGram, PayPal**; **30% deposits; 70% balance** before delivery,
2. MOQ: **1pcs**,
3. Warranty: 5years