

What is the details of our [CONDUZIU Garden light](#)?

Die cast aluminum housing,aluminum sheet rotating cover
Double photometric diffuser technology
Supper white toughened glass
Sealed lamp housing

What is the Specifications of our LED Garden light?


Insulation class	Fonte de energia	LED current	Fator de potência	Working Ambient	Vida útil	CRI	CCT
Class I	120-277V 50/60HZ	700mA	>0.95	-40 °C to +55 °C	>50,000hrs	RA>75	3000K-6500K
Código do produto	YMLED-6102(16)		YMLED-6102(20)	YMLED-6102(24)	YMLED-6102(28)		
LED Qty	16pcs		20pcs	24pcs	28pcs		
Rated Power	35w		45w	55w	60w		
Fluxo luminoso	3100-3300lm		3950-4200	4850-5200lm	5350-5700lm		
G.W/N.W	13.5/11.5kgs		13.5/11.5kgs	13.5/11.5kgs	13.5/11.5kgs		
Packing Size	610x610x830mm		610x610x830mm	610x610x830mm	610x610x830mm		

Product Photos


YMLED-6102



PRODUCT DIMENSIONS(MM)





PRODUCT DETAILS







Polar Diagram



Type1



Type2



Type3



Packaging & Shipping ,Trade Terms:

Envio

1. **FedEx/DHL/UPS/TNT** para **samples**, De porta em porta,
2. **By Air or by Sea** para **batch goods**, for FCL; Airport/ Port receiving,
3. Customers specifying freight forwarders or negotiable shipping methods,
4. **Prazo de entrega**: 5.-7 days for samples; 15.-30. days for batch goods.

Termos de pagamento

1. Payment: **T/T, Western Union, MoneyGram, PayPal**; **30% deposits; 70% balance** Antes da entrega,
2. MOQ: **1pcs**,
3. Warranty: 5years