



YMLED-6408S

RAL 7015



RAL 9005



Power range: 13W-52W

CREE XPG3 LED chip

Philips driver

>120LM/W

Quick and tool free open




IP66

IK08





Certificate




Configuration Data

Internal Structure





Polar Diagram



Configuration Data:

产品型号 Product Code	额定功率 Rated Power (led current 530mA)	初始光通量 Nominal initial FLUX	额定功率 Rated Power (led current 700mA)	初始光通量 Nominal initial FLUX	毛净重 G.W/N.W	包装尺寸 Packing Size
Galaxy micro(8)	13W	1674lm	18W	2170lm	4/5(kgs)	525*240*140MM
Galaxy micro(12)	20W	2576lm	26W	3136lm	4/5(kgs)	525*240*140MM
Galaxy micro(16)	26W	3360lm	35W	4256lm	4/5(kgs)	525*240*140MM
Galaxy micro(20)	33W	4144lm	42W	5040lm	4/5(kgs)	525*240*140MM
Galaxy micro(24)	40W	5152lm	52W	6272lm	4/5(kgs)	525*240*140MM





Company Profile


Yuyao Yangming Lighting Co., Ltd. is mainly engaged in the development and production of garden lighting. Founded in 2001, it has developed more than 200 kinds of Garden lights, street lights, lawn lights, footpath lights, light poles, led lights and wall lights.

Now we are creating our own brands and developing products suitable for market. Welcome all friends to contact us. We will make contribution to lightening your home.





Testing and Design




product design



led street lighting aging

ingress protection (Ip) testing equipment.


testing line.



ullbrich sphere for testing luminous flux

road lighting simulation

Exhibittion





Add : Minyin industrial Zone, Liangnong Town,
Yuyao,Zhenjiang,China

Sale: 0574-22222345 / 22719888

0574-22672345(Fax)

Hotline: 0574-62359099

0574-62359077(Fax)

[Http://www.ym-lighting.com](http://www.ym-lighting.com)

www.yyym2001.1688.com

www.yangminglamps.en.alibaba.com