

Quais são os detalhes do nosso [CONDUZIU Luz do jardim?](#)

Habitação de alumínio fundido, tampa rotativa da folha de alumínio
Tecnologia de difusor fotométrico duplo
Tecnologia de difusão do PC.
Carcaça lâmpada selada

Quais são as especificações do nosso LED? Luz do jardim?

Classe de isolamento	Fonte de energia	Corrente led	Fator de potência	Ambiente de trabalho	Vida útil	Cril	Cct.
Classe I.	120-277V. 50 / 60Hz.	700mA.	> 0,95.	-40. ° C a +55 ° C.	> 50.000hrs.	RA> 75.	3000k-6500K.
Código do produto	Ymled-6132a.		Ymled-6132a.		Ymled-6132a.		
Qty led	20pcs.		20pcs.		20pcs.		
Poder avaliado	40w.		50W.		60w.		
Fluxo luminoso	3400-3600lm.		4150-4410lm.		4850-5160lm.		
G.w / n.w.	10.5 / 9kgs.		10.5 / 9kgs.		10.5 / 9kgs.		
Tamanho de embalagem	710x285x725mm.		710x285x725mm.		710x285x725mm.		

Fotos do produto.



YMLED6132

RAL 7015



RAL 9005



Power range: 40w-60w

AC120v-277v 50/60Hz

CREE XTE LED chip

INVENTRONICS driver


Die cast aluminum housing



IP65


Certificate





Configuration Data

Internal Structure




Die cast aluminum housing

Inventronics driver


LED strip (Option)

Dia 76/60mm install pipe


CREE XTE LED chip



PC diffuser



Polar Diagram



Configuration Data:

产品型号 Product Code	额定功率 Rated Power	初始光通量 Luminous Flux			毛净重 G.W/N.W	包装尺寸 Packing Size
		WW	NW	CW		
YMLED-6132A(20)	40W	3740	3850	3960	G.W/N.W: 10.5/9(kgs)	710x285x725mm
YMLED-6132A(20)	50W	4565	4675	4851	G.W/N.W: 10.5/9(kgs)	710x285x725mm
YMLED-6132A(20)	60W	5335	5500	5676	G.W/N.W: 10.5/9(kgs)	710x285x725mm





Company Profile


Yuyao Yangming Lighting Co., Ltd. is mainly engaged in the development and production of garden lighting. Founded in 2001, it has developed more than 200 kinds of Garden lights, street lights, lawn lights, footpath lights, light poles, led lights and wall lights.

Now we are creating our own brands and developing products suitable for market. Welcome all friends to contact us. We will make contribution to lightening your home.





Testing and Design



product design






ingress protection (Ip) testing equipment.



led street lighting aging testing line.



ullbrich sphere for testing luminous flux



road lighting simulation

Exhibittion





Add : Minyin industrial Zone, Liangnong Town,
Yuyao,Zhenjiang,China

Sale: 0574-22222345 / 22719888

0574-22672345(Fax)

Hotline: 0574-62359099

0574-62359077(Fax)

Http://www.ym-lighting.com

www.yyym2001.1688.com

www.yangminglamps.en.alibaba.com

Embalagem e transporte, termos de comércio:

Envio

1. FedEx / DHL / UPS / TNT para amostras, De porta em porta,

2. **Pelo ar ou pelo mar** para **Bens de lote**, para FCL; Aeroporto / porto recebendo,
3. Clientes especificando remetentes de frete ou métodos de envio negociáveis,
4. **Prazo de entrega:** 5.-7 dias para amostras; 15.-30. dias para bens de lote.

Termos de pagamento

1. Pagamento: **T / t., Western Union, MoneyGram, Paypal.; Depósitos de 30%; 70% de balanço**
Antes da entrega,
2. MOQ: **1 pcs,**
3. Garantia: 5 anos